

Progress in reducing the harmful use of alcohol: Global trends 2010–2024


*Based on Global Burden
of Disease study data*

August 2026

About IARD

The International Alliance for Responsible Drinking (IARD) is a not-for-profit organization dedicated to reducing harmful drinking. We are supported by the leading global beer, wine, and spirits producers, who have come together to be part of the solution in combating the harmful use of alcohol. To achieve this, we work with public sector, civil society, and private sector stakeholders. We work in support of the whole-of-society approach endorsed by the multilateral strategies to tackle the harmful use of alcohol.

IARD actively supports multilateral strategies and goals to reduce harmful drinking, including the targets in the World Health Organization's (WHO) Global Alcohol Action Plan 2022–2030 and United Nations' Sustainable Development Goals (SDG) 3.5 and 17.16.



Contents

2	About IARD
3	Foreword
4	Methodology
5	Global trends: Alcohol-attributable rates relative to 2010 (GBD study data)
6–199	National trends: Alcohol-attributable rates relative to 2010 (GBD study data)

Foreword

The 2025 Political Declaration on noncommunicable diseases reinforces the global commitment to reduce the harmful use of alcohol. It confirms that the overall multilateral framework established by Member States – including the WHO Global Strategy to Reduce the Harmful Use of Alcohol, the Global Alcohol Action Plan, and Sustainable Development Goal 3.5 – remains relevant and important.

Since 2010, indicators of alcohol-attributable harm have shown substantial improvement at global level, although progress has been uneven across countries and regions. According to the Global Burden of Disease (GBD) study data presented in this report, age-standardized alcohol-attributable mortality rates have declined by 26%, morbidity rates by 23%, and high alcohol use exposure by 10% globally from 2010 to 2024. These trends are consistent with meaningful progress toward the internationally agreed targets for reducing harmful use of alcohol.

Sustaining and accelerating that progress will require continued implementation of effective, evidence-based and whole-of-society approaches that bring together government, civil society and the private sector.

Reliable and transparent data are fundamental to this effort. The World Health Organization provides an essential foundation through its global monitoring systems. Complementary and independent data sources can also play an important role in assessing trends over time and strengthening confidence in the overall direction of progress.

The Institute for Health Metrics and Evaluation's Global Burden of Disease study is particularly valuable in this context. It represents one of the world's most comprehensive efforts to assess relationships between risk factors and health outcomes across countries and over time. Its estimates facilitate meaningful comparison and trend analysis and provide an additional lens through which to assess changes in alcohol-attributable harm. However, GBD estimates use different attribution models and methodologies and should therefore be interpreted as complementary measures of trend direction rather than direct substitutes for WHO data.

This report is part of IARD's contribution to supporting the global evidence base. Using GBD study data, it tracks trends in alcohol-attributable mortality and morbidity relative to the 2010 baseline established by Member States in the UN and WHO target architecture for reducing harmful use of alcohol.

Together, these data can help inform governments, policymakers and stakeholders as they continue working to reduce harmful drinking and alcohol-related harm around the world.



Julian Braithwaite
IARD President / CEO

Methodology

Visualizing trends relative to UN targets

This report compares GBD study data on trends in alcohol-attributed morbidity and mortality rates against the targets set as part of the [WHO Noncommunicable Diseases \(NCD\) Monitoring Framework](#) (2011)—see Figure 1—and the [Global Alcohol Action Plan](#) (2010).

Figure 1:
Indicators
identified in
the WHO NCD
Monitoring
Framework

Indicators and milestones for achievement

Global targets	Indicators
1.1. By 2030, at least 20% relative reduction (in comparison with 2010) in the harmful use of alcohol. ²⁵	1.1.1 Total alcohol per capita consumption defined as the estimated total (recorded plus unrecorded) alcohol per capita (aged 15 years and older) consumption within a calendar year in litres of pure alcohol, adjusted for tourist consumption. 1.1.2. Age-standardized prevalence of heavy episodic drinking. 1.1.3. Age-standardized alcohol-attributable deaths. 1.1.4 Age-standardized alcohol-attributable DALYs.

It applies a similar approach to analyzing progress as IARD's previous reports, [2025 High-Level Meeting on NCDs: Alcohol and health trends by country based on WHO data](#) and [Progress Report: Alcohol consumption and alcohol-related harm based on WHO data 2010–2019](#).

Member States [adopted](#) a target of a 10% reduction in the harmful use of alcohol by 2025, defined by four indicators. In 2022, they [extended](#) the target to a 20% reduction by 2030.

With this report, IARD furthers its commitment to facilitating the tracking of trends in harmful drinking by providing information resources.

GBD study data

The GBD study estimates age-standardized rates of death and disability-adjusted life-years (DALYs) for dozens of risk factors, among other metrics relevant to monitoring population health and related policies. GBD estimates facilitate comparison of trends across countries and over time.

This report visualizes the change in GBD estimates indexed to 2010 – the baseline year for the UN-system targets for reducing harmful use of alcohol – through 2024. GBD coverage spans from 1990 to 2024 (see [Online Appendix](#)). In this report, country names are generally shown as in the IHME client portal.


GBD's attribution to risk factors is based on systematic literature reviews and its models are continually refined (see [GBD Burden of Proof](#)).

Its risk factor, high alcohol use summary exposure variable (SEV), uses a range of aggregate and national data sources to estimate a population's exposure to alcohol consumption above the level that would minimize health risks.¹

High alcohol use SEV values theoretically range from 0 to 100.

For 2024, high alcohol use SEV values range from <0.1 to 24.9 across 193 countries.


Figure 2: Distribution of high alcohol use SEV (2024)



¹ GBD 2023 Disease and Injury and Risk Factor Collaborators. (2025). Burden of 375 diseases and injuries, risk-attributable burden of 88 risk factors, and healthy life expectancy in 204 countries and territories, including 660 subnational locations, 1990–2023: a systematic analysis for the Global Burden of Disease Study 2023. *The Lancet*, 406(10513), 1873–1922.

Global


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	19.32	835.42	6.34
2024	14.24	642.97	5.69
Percent change 2010–2024	-26.29%	-23.04%	-10.17%

Afghanistan


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	1.06	59.24	0.02
2024	0.94	55.07	0.01
Percent change 2010–2024	-11.03%	-7.04%	-28.53%

Albania


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	9.57	486.69	5.59
2024	8.33	431.07	5.28
Percent change 2010–2024	-12.89%	-11.43%	-5.63%

Algeria


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	2.03	96.58	0.51
2024	1.85	89.04	0.54
Percent change 2010–2024	–9.26%	–7.81%	5.21%

Andorra


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	16.41	816.16	14.10
2024	13.12	675.91	12.53
Percent change 2010–2024	-20.00%	-17.18%	-11.16%

Angola


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	59.39	2261.35	8.33
2024	38.46	1524.71	7.32
Percent change 2010–2024	-35.24%	-32.58%	-12.16%

Antigua and Barbuda


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	9.75	543.30	1.29
2024	18.39	920.13	5.73
Percent change 2010–2024	88.71%	69.36%	343.06%

Argentina


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	19.47	861.74	14.37
2024	14.85	681.04	13.08
Percent change 2010–2024	-23.72%	-20.97%	-8.96%

Armenia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	20.66	782.20	2.90
2024	7.11	434.66	2.90
Percent change 2010–2024	-65.59%	-44.43%	-0.00%

Australia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	12.62	658.21	16.51
2024	10.94	595.41	15.65
Percent change 2010–2024	-13.35%	-9.54%	-5.17%

Austria


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	22.01	1070.73	18.77
2024	18.04	888.93	17.11
Percent change 2010–2024	-18.02%	-16.98%	-8.85%

Azerbaijan


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	25.35	993.88	5.78
2024	19.70	859.39	5.33
Percent change 2010–2024	-22.29%	-13.53%	-7.77%

Bahamas


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	28.35	1280.72	9.67
2024	28.05	1300.58	8.88
Percent change 2010–2024	-1.05%	1.55%	-8.12%

Bahrain


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	4.14	158.23	1.83
2024	3.21	136.02	1.87
Percent change 2010–2024	-22.37%	-14.04%	2.04%

Bangladesh


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	4.97	273.66	0.11
2024	2.65	200.05	0.11
Percent change 2010–2024	-46.58%	-26.90%	1.71%

Barbados


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	12.03	588.44	5.08
2024	12.50	592.91	4.59
Percent change 2010–2024	3.90%	0.76%	–9.63%

Belarus


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	66.94	2925.02	17.16
2024	44.54	1936.40	15.68
Percent change 2010–2024	–33.46%	–33.80%	–8.59%

Belgium


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	19.04	935.13	18.16
2024	14.24	748.63	15.34
Percent change 2010–2024	-25.20%	-19.94%	-15.54%

Belize


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	23.63	1070.87	8.15
2024	22.13	1028.83	7.99
Percent change 2010–2024	–6.31%	–3.93%	–2.00%

Benin


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	17.53	676.37	3.21
2024	14.26	555.67	2.84
Percent change 2010–2024	-18.64%	-17.85%	-11.50%

Bhutan


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	15.00	751.88	3.09
2024	11.85	601.47	3.09
Percent change 2010–2024	-21.00%	-20.00%	0.05%

Bolivia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	25.64	980.91	6.24
2024	21.96	845.85	6.49
Percent change 2010–2024	-14.36%	-13.77%	3.91%

Bosnia and Herzegovina


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	22.41	928.29	10.76
2024	20.51	879.27	11.94
Percent change 2010–2024	-8.49%	-5.28%	10.96%

Botswana


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	29.81	1245.90	8.14
2024	20.92	889.31	7.89
Percent change 2010–2024	-29.82%	-28.62%	-3.07%

Brazil


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	23.43	1237.11	9.13
2024	18.83	1034.68	9.21
Percent change 2010–2024	-19.61%	-16.36%	0.85%

Brunei Darussalam


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	3.72	206.41	0.62
2024	3.31	199.97	0.59
Percent change 2010–2024	-11.20%	-3.12%	-3.98%

Bulgaria


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	35.23	1248.78	14.65
2024	28.47	1088.20	13.28
Percent change 2010–2024	-19.17%	-12.86%	-9.36%

Burkina Faso


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	16.77	574.22	2.62
2024	13.32	465.22	2.39
Percent change 2010–2024	-20.59%	-18.98%	-8.79%

Burundi


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	22.20	910.85	3.27
2024	21.25	883.18	3.21
Percent change 2010–2024	-4.25%	-3.04%	-1.95%

Cabo Verde


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	21.94	848.01	7.57
2024	18.76	723.54	7.13
Percent change 2010–2024	-14.51%	-14.68%	-5.74%

Cambodia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	14.50	642.25	3.20
2024	22.95	967.90	7.59
Percent change 2010–2024	58.33%	50.70%	136.91%

Cameroon


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	22.25	796.04	4.56
2024	21.15	772.89	4.72
Percent change 2010–2024	-4.95%	-2.91%	3.49%

Canada


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	10.94	626.13	12.90
2024	13.03	723.13	12.80
Percent change 2010–2024	19.13%	15.49%	–0.75%

Central African Republic


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	55.21	2124.58	5.94
2024	47.23	1828.95	5.71
Percent change 2010–2024	-14.45%	-13.91%	-3.84%

Chad


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	36.89	1309.71	4.13
2024	31.06	1077.04	3.58
Percent change 2010–2024	-15.81%	-17.77%	-13.22%

Chile


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	19.39	913.58	12.31
2024	15.54	776.03	13.93
Percent change 2010–2024	-19.88%	-15.06%	13.13%

China


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	16.34	666.09	6.28
2024	10.66	498.10	6.68
Percent change 2010–2024	-34.73%	-25.22%	6.36%

Chinese Taipei


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	13.97	659.42	4.23
2024	11.83	600.61	4.13
Percent change 2010–2024	-15.28%	-8.92%	-2.56%

Colombia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	9.31	682.49	6.26
2024	7.96	583.74	5.97
Percent change 2010–2024	-14.53%	-14.47%	-4.54%

Comoros


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	5.01	267.09	0.19
2024	4.88	270.11	0.34
Percent change 2010–2024	-2.44%	1.13%	75.30%

Congo


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	26.87	1112.17	7.21
2024	29.88	1212.72	9.23
Percent change 2010–2024	11.20%	9.04%	28.00%

Costa Rica


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	12.58	642.52	7.06
2024	15.10	738.87	7.46
Percent change 2010–2024	20.10%	15.00%	5.72%

Côte d'Ivoire


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	No data	No data	3.48
2024	No data	No data	2.77
Percent change 2010–2024	No data	No data	–20.19%

Croatia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	23.66	992.93	8.31
2024	23.03	1001.13	11.82
Percent change 2010–2024	-2.63%	0.83%	42.27%

Cuba


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	15.76	703.56	8.21
2024	21.39	906.81	9.63
Percent change 2010–2024	35.79%	28.89%	17.42%

Cyprus


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	8.92	476.98	8.92
2024	8.58	455.69	9.84
Percent change 2010–2024	-3.84%	-4.46%	10.25%

Czechia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	23.97	1112.18	20.26
2024	22.98	1072.04	20.80
Percent change 2010–2024	–4.12%	–3.61%	2.66%

Democratic Republic of the Congo


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	25.76	1029.27	3.13
2024	21.71	891.88	3.07
Percent change 2010–2024	-15.73%	-13.35%	-1.81%

Denmark


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	28.25	1283.82	19.72
2024	21.02	960.48	19.00
Percent change 2010–2024	-25.60%	-25.19%	-3.63%

Djibouti


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	13.34	583.02	0.91
2024	11.73	527.59	0.82
Percent change 2010–2024	-12.06%	-9.51%	-10.50%

Dominica


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	18.81	897.26	8.17
2024	20.15	949.41	9.76
Percent change 2010–2024	7.08%	5.81%	19.44%

Dominican Republic


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	16.65	788.98	8.47
2024	17.59	815.64	8.57
Percent change 2010–2024	5.64%	3.38%	1.09%

Ecuador


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	18.70	858.39	5.65
2024	13.48	660.98	5.59
Percent change 2010–2024	-27.91%	-23.00%	-1.00%

Egypt


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	4.94	149.58	0.12
2024	3.93	124.11	0.10
Percent change 2010–2024	-20.36%	-17.02%	-15.27%

El Salvador


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	32.37	1787.15	4.19
2024	33.64	1708.40	5.43
Percent change 2010–2024	3.93%	–4.41%	29.59%

Equatorial Guinea


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	36.85	1451.89	8.56
2024	30.42	1233.64	7.74
Percent change 2010–2024	-17.44%	-15.03%	-9.51%

Eritrea


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	13.85	657.67	1.62
2024	12.70	613.20	1.52
Percent change 2010–2024	-8.28%	-6.76%	-6.03%

Estonia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	50.17	2211.28	22.97
2024	35.72	1531.02	18.42
Percent change 2010–2024	-28.81%	-30.76%	-19.80%

Eswatini


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	56.02	2346.07	5.64
2024	30.07	1334.68	5.55
Percent change 2010–2024	-46.33%	-43.11%	-1.60%

Ethiopia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	25.29	1128.69	5.38
2024	20.26	898.89	4.75
Percent change 2010–2024	-19.90%	-20.36%	-11.75%

Federated States of Micronesia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	7.95	387.36	0.61
2024	6.97	368.75	0.60
Percent change 2010–2024	-12.23%	-4.80%	-1.50%

Fiji


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	6.38	308.32	3.56
2024	7.21	336.59	4.28
Percent change 2010–2024	12.92%	9.17%	20.31%

Finland


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	26.15	1262.03	18.29
2024	21.27	970.87	16.54
Percent change 2010–2024	-18.66%	-23.07%	-9.54%

France


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	23.00	1054.82	17.41
2024	17.52	841.89	14.93
Percent change 2010–2024	-23.82%	-20.19%	-14.28%

Gabon


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	47.14	1731.55	10.56
2024	35.02	1329.19	9.47
Percent change 2010–2024	-25.71%	-23.24%	-10.29%

Gambia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	8.35	296.52	0.05
2024	9.00	312.71	0.07
Percent change 2010–2024	7.73%	5.46%	38.89%

Georgia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	23.94	1104.04	6.99
2024	21.65	1012.76	8.34
Percent change 2010–2024	-9.58%	-8.27%	19.29%

Germany


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	26.53	1105.11	21.91
2024	23.66	986.74	20.38
Percent change 2010–2024	-10.83%	-10.71%	-6.98%

Ghana


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	21.22	752.36	3.21
2024	20.89	743.86	3.27
Percent change 2010–2024	-1.57%	-1.13%	1.63%

Greece


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	8.73	488.50	13.00
2024	7.88	432.46	12.51
Percent change 2010–2024	–9.64%	–11.47%	–3.84%

Grenada


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	16.68	789.06	7.27
2024	21.96	1009.77	9.08
Percent change 2010–2024	31.68%	27.97%	24.92%

Guatemala


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	33.30	1722.63	3.08
2024	32.82	1614.94	3.92
Percent change 2010–2024	-1.43%	-6.25%	27.36%

Guinea


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	12.34	426.76	0.37
2024	13.06	449.15	0.57
Percent change 2010–2024	5.82%	5.25%	55.65%

Guinea-Bissau


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	24.70	896.64	3.05
2024	21.27	787.06	2.79
Percent change 2010–2024	-13.88%	-12.22%	-8.73%

Guyana


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	23.79	1043.17	4.65
2024	27.67	1154.16	4.96
Percent change 2010–2024	16.30%	10.64%	6.57%

Haiti


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	49.16	1893.90	6.60
2024	50.49	2033.08	7.02
Percent change 2010–2024	2.69%	7.35%	6.27%

Honduras


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	18.54	971.89	3.54
2024	15.51	806.83	4.50
Percent change 2010–2024	-16.34%	-16.98%	26.84%

Hungary


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	41.58	1644.97	13.67
2024	35.87	1406.02	14.47
Percent change 2010–2024	-13.72%	-14.53%	5.87%

Iceland


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	7.60	529.58	16.39
2024	8.41	567.24	14.62
Percent change 2010–2024	10.67%	7.11%	-10.79%

India


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	15.62	696.16	1.99
2024	9.99	478.40	1.89
Percent change 2010–2024	-36.04%	-31.28%	-5.35%

Indonesia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	8.32	310.25	0.20
2024	6.36	251.48	0.19
Percent change 2010–2024	-23.57%	-18.94%	-2.40%

Iran


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	1.94	85.16	0.36
2024	1.36	65.46	0.14
Percent change 2010–2024	-29.90%	-23.13%	-59.52%

Iraq


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	2.01	90.38	0.26
2024	2.00	87.72	0.25
Percent change 2010–2024	–0.95%	–2.95%	–3.70%

Ireland


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	13.92	867.72	20.50
2024	10.40	678.20	17.16
Percent change 2010–2024	-25.32%	-21.84%	-16.28%

Israel


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	4.72	255.99	5.13
2024	4.03	239.26	6.32
Percent change 2010–2024	-14.72%	-6.54%	23.37%

Italy


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	12.37	538.02	11.32
2024	9.86	458.71	11.30
Percent change 2010–2024	-20.28%	-14.74%	-0.18%

Jamaica


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	9.60	473.33	6.47
2024	7.97	424.25	3.96
Percent change 2010–2024	-17.02%	-10.37%	-38.79%

Japan


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	10.29	409.96	14.70
2024	8.41	349.89	13.46
Percent change 2010–2024	-18.33%	-14.65%	-8.45%

Jordan


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	1.03	59.97	0.19
2024	0.67	49.43	0.19
Percent change 2010–2024	-35.27%	-17.57%	0.57%

Kazakhstan


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	46.93	2210.77	7.73
2024	38.33	1635.11	8.11
Percent change 2010–2024	-18.32%	-26.04%	4.94%

Kenya


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	17.98	662.91	2.87
2024	15.92	589.05	3.16
Percent change 2010–2024	-11.50%	-11.14%	10.00%

Kiribati


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	5.90	367.22	1.89
2024	4.98	324.20	1.89
Percent change 2010–2024	-15.63%	-11.72%	0.01%

Kuwait


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	0.72	50.24	0.06
2024	0.37	41.64	0.06
Percent change 2010–2024	-48.96%	-17.13%	-4.65%

Kyrgyzstan


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	45.50	1996.60	3.91
2024	26.36	1192.97	3.18
Percent change 2010–2024	-42.07%	-40.25%	-18.56%

Laos


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	22.17	913.03	7.46
2024	26.54	1064.62	9.94
Percent change 2010–2024	19.72%	16.60%	33.23%

Latvia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	52.93	2345.74	15.48
2024	47.56	2100.21	17.43
Percent change 2010–2024	-10.15%	-10.47%	12.57%

Lebanon


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	3.34	154.70	2.86
2024	2.80	134.82	2.34
Percent change 2010–2024	-16.22%	-12.85%	-18.21%

Lesotho


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	70.19	2897.28	9.66
2024	60.93	2460.48	9.05
Percent change 2010–2024	-13.18%	-15.08%	-6.34%

Liberia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	27.59	998.03	5.87
2024	25.87	962.80	5.88
Percent change 2010–2024	–6.25%	–3.53%	0.11%

Libya


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	1.52	75.64	0.01
2024	1.24	66.61	0.01
Percent change 2010–2024	-18.15%	-11.94%	-9.58%

Lithuania


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	56.40	2559.86	19.38
2024	35.78	1641.53	16.66
Percent change 2010–2024	-36.57%	-35.87%	-14.03%

Luxembourg


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	25.08	1068.02	24.65
2024	21.71	935.44	24.93
Percent change 2010–2024	-13.44%	-12.41%	1.12%

Madagascar


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	32.34	1186.66	4.49
2024	28.13	1046.79	4.29
Percent change 2010–2024	-13.02%	-11.79%	-4.54%

Malawi


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	21.08	862.43	2.14
2024	19.54	815.88	2.35
Percent change 2010–2024	-7.30%	-5.40%	9.50%

Malaysia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	6.26	249.56	0.87
2024	4.72	212.32	0.78
Percent change 2010–2024	-24.53%	-14.92%	-10.47%

Maldives


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	4.34	195.56	0.12
2024	4.38	196.34	0.66
Percent change 2010–2024	0.83%	0.40%	458.29%

Mali


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	9.94	361.74	0.40
2024	9.54	348.44	0.42
Percent change 2010–2024	-4.09%	-3.68%	5.25%

Malta


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	5.81	399.97	10.17
2024	5.74	391.74	13.34
Percent change 2010–2024	-1.27%	-2.06%	31.24%

Marshall Islands


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	17.67	768.32	2.64
2024	14.71	642.74	2.78
Percent change 2010–2024	-16.76%	-16.34%	5.06%

Mauritania


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	9.68	309.30	0.03
2024	9.06	291.85	0.04
Percent change 2010–2024	-6.44%	-5.64%	12.01%

Mauritius


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	15.59	707.96	6.09
2024	14.52	683.11	5.08
Percent change 2010–2024	-6.86%	-3.51%	-16.51%

Mexico


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	23.35	1026.52	7.07
2024	19.81	923.79	8.00
Percent change 2010–2024	-15.14%	-10.01%	13.22%

Monaco


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	21.63	880.03	13.71
2024	16.01	710.44	12.62
Percent change 2010–2024	-25.98%	-19.27%	-7.95%

Mongolia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	94.75	3686.13	8.34
2024	70.91	3027.12	9.85
Percent change 2010–2024	-25.16%	-17.88%	18.08%

Montenegro


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	22.85	901.67	10.63
2024	20.28	830.27	11.43
Percent change 2010–2024	-11.27%	-7.92%	7.50%

Morocco


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	2.29	101.27	0.46
2024	2.08	91.99	0.44
Percent change 2010–2024	-8.97%	-9.15%	-4.94%

Mozambique


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	16.68	682.37	3.19
2024	13.69	547.46	2.59
Percent change 2010–2024	-17.89%	-19.77%	-18.57%

Myanmar


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	28.00	1394.48	1.53
2024	28.17	1421.24	1.55
Percent change 2010–2024	0.59%	1.92%	1.59%

Namibia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	58.93	2407.34	12.89
2024	46.24	1981.75	12.84
Percent change 2010–2024	-21.53%	-17.68%	-0.37%

Nauru


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	21.44	957.68	3.91
2024	18.44	853.83	4.12
Percent change 2010–2024	-13.98%	-10.84%	5.41%

Nepal


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	14.52	617.54	2.39
2024	11.23	489.61	2.13
Percent change 2010–2024	-22.63%	-20.72%	-10.88%

Netherlands


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	14.57	776.19	17.01
2024	12.94	626.97	15.57
Percent change 2010–2024	-11.16%	-19.22%	-8.47%

New Zealand


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	9.70	623.66	16.21
2024	9.41	595.22	14.14
Percent change 2010–2024	-2.97%	-4.56%	-12.73%

Nicaragua


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	22.89	1116.36	3.43
2024	19.47	920.10	4.66
Percent change 2010–2024	-14.97%	-17.58%	35.81%

Niger


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	10.93	359.04	0.17
2024	10.44	346.21	0.18
Percent change 2010–2024	–4.47%	–3.57%	8.24%

Nigeria


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	16.85	579.93	2.39
2024	12.54	442.84	2.21
Percent change 2010–2024	-25.59%	-23.64%	-7.39%

North Korea


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	20.35	880.36	5.89
2024	16.95	759.04	5.73
Percent change 2010–2024	-16.71%	-13.78%	-2.72%

North Macedonia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	18.45	710.09	7.40
2024	18.18	712.71	9.44
Percent change 2010–2024	-1.47%	0.37%	27.63%

Norway


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	11.15	565.28	13.46
2024	9.11	482.27	13.40
Percent change 2010–2024	-18.31%	-14.69%	-0.43%

Oman


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	3.31	135.14	0.65
2024	2.32	99.99	0.53
Percent change 2010–2024	-29.93%	-26.01%	-19.05%

Pakistan


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	4.37	290.82	0.20
2024	3.22	242.91	0.20
Percent change 2010–2024	-26.25%	-16.47%	0.09%

Palau


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	9.31	474.60	4.07
2024	8.12	424.31	3.94
Percent change 2010–2024	-12.83%	-10.60%	-3.40%

Panama


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	13.58	737.08	8.52
2024	11.43	613.04	8.38
Percent change 2010–2024	-15.79%	-16.83%	-1.63%

Papua New Guinea


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	5.53	288.23	1.28
2024	4.98	264.85	1.33
Percent change 2010–2024	–9.85%	–8.11%	3.50%

Paraguay


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	22.01	1131.68	9.87
2024	23.37	1211.97	10.55
Percent change 2010–2024	6.17%	7.09%	6.84%

Peru


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	15.39	652.54	8.06
2024	10.23	475.93	8.38
Percent change 2010–2024	-33.51%	-27.07%	3.90%

Philippines


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	19.99	807.70	7.05
2024	17.92	739.31	8.13
Percent change 2010–2024	-10.35%	-8.47%	15.26%

Poland


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	28.77	1362.28	12.00
2024	27.82	1344.57	12.60
Percent change 2010–2024	-3.29%	-1.30%	4.96%

Portugal


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	23.24	1049.00	14.46
2024	18.16	858.30	15.95
Percent change 2010–2024	-21.88%	-18.18%	10.30%

Qatar


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	3.39	136.81	1.50
2024	1.69	87.41	1.31
Percent change 2010–2024	-50.15%	-36.11%	-13.09%

Republic of Moldova


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	59.37	2420.44	11.47
2024	38.49	1591.23	12.11
Percent change 2010–2024	-35.16%	-34.26%	5.57%

Romania


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	41.79	1608.44	13.32
2024	31.88	1278.95	13.63
Percent change 2010–2024	-23.70%	-20.48%	2.34%

Russian Federation


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	87.87	4043.40	No data
2024	46.40	2181.58	No data
Percent change 2010–2024	–47.20%	–46.05%	No data

Rwanda


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	20.54	976.44	3.70
2024	21.17	1008.31	3.85
Percent change 2010–2024	3.07%	3.26%	4.18%

Saint Kitts and Nevis


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	25.32	1212.33	5.30
2024	26.34	1250.26	5.19
Percent change 2010–2024	4.00%	3.13%	-1.99%

Saint Lucia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	22.62	1053.00	10.70
2024	25.89	1200.30	10.85
Percent change 2010–2024	14.48%	13.99%	1.35%

Saint Vincent and the Grenadines


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	24.91	1171.72	12.90
2024	26.71	1240.68	10.65
Percent change 2010–2024	7.22%	5.89%	-17.40%

Samoa


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	6.45	355.32	2.71
2024	6.17	338.08	2.61
Percent change 2010–2024	-4.36%	-4.85%	-3.84%

San Marino


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	12.21	617.45	18.46
2024	9.92	543.08	17.16
Percent change 2010–2024	-18.72%	-12.05%	-7.05%

Sao Tome and Principe


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	35.67	1234.25	11.14
2024	28.50	1037.74	10.88
Percent change 2010–2024	-20.10%	-15.92%	-2.31%

Saudi Arabia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	2.04	81.68	0.10
2024	1.25	62.26	0.09
Percent change 2010–2024	-39.03%	-23.77%	-2.10%

Senegal


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	8.19	297.93	0.46
2024	7.87	289.85	0.37
Percent change 2010–2024	-3.88%	-2.71%	-19.16%

Serbia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	25.96	984.57	8.14
2024	21.95	867.38	9.26
Percent change 2010–2024	-15.45%	-11.90%	13.65%

Seychelles


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	28.38	1051.39	10.17
2024	32.15	1201.50	14.17
Percent change 2010–2024	13.29%	14.28%	39.27%

Sierra Leone


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	22.57	814.08	2.16
2024	20.73	739.12	2.00
Percent change 2010–2024	–8.12%	–9.21%	–7.61%

Singapore


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	3.66	212.49	7.06
2024	2.73	199.77	6.97
Percent change 2010–2024	-25.50%	-5.99%	-1.29%

Slovakia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	30.16	1309.97	14.18
2024	25.95	1173.17	14.21
Percent change 2010–2024	-13.98%	-10.44%	0.27%

Slovenia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	23.09	1003.63	7.05
2024	19.60	917.41	6.46
Percent change 2010–2024	-15.08%	-8.59%	-8.26%

Solomon Islands


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	9.70	427.95	1.22
2024	9.29	414.55	1.18
Percent change 2010-2024	-4.18%	-3.13%	-3.41%

Somalia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	6.99	325.25	0.18
2024	6.40	308.96	0.16
Percent change 2010–2024	-8.50%	-5.01%	-9.58%

South Africa


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	47.68	1977.84	9.36
2024	35.14	1512.18	9.67
Percent change 2010–2024	-26.29%	-23.54%	3.31%

South Korea


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	19.87	1009.98	14.88
2024	14.17	735.05	14.69
Percent change 2010–2024	-28.66%	-27.22%	-1.28%

South Sudan


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	22.77	929.28	3.19
2024	22.87	927.57	2.88
Percent change 2010–2024	0.41%	–0.18%	–9.72%

Spain


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	13.44	646.51	15.12
2024	10.07	507.45	14.32
Percent change 2010–2024	-25.11%	-21.51%	-5.29%

Sri Lanka


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	13.74	543.41	3.48
2024	11.48	455.16	3.85
Percent change 2010–2024	-16.42%	-16.24%	10.56%

Sudan


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	2.52	96.91	0.09
2024	2.23	84.82	0.09
Percent change 2010–2024	-11.36%	-12.48%	-4.44%

Suriname


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	20.81	918.64	7.84
2024	17.98	851.36	7.38
Percent change 2010–2024	-13.59%	-7.32%	-5.92%

Sweden


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	11.26	759.11	15.34
2024	10.99	658.02	15.81
Percent change 2010–2024	-2.46%	-13.32%	3.07%

Switzerland


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	16.61	823.94	18.78
2024	10.93	620.61	17.22
Percent change 2010–2024	-34.22%	-24.68%	-8.27%

Syria


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	No data	No data	No data
2024	No data	No data	No data
Percent change 2010–2024	No data	No data	No data

Syrian Arab Republic


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	2.01	93.25	0.47
2024	1.52	70.96	0.12
Percent change 2010–2024	-24.44%	-23.91%	-74.14%

Tajikistan


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	13.84	612.72	0.53
2024	14.55	652.07	0.61
Percent change 2010–2024	5.09%	6.42%	15.16%

Tanzania


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	14.76	590.84	2.11
2024	11.62	482.38	2.02
Percent change 2010–2024	-21.26%	-18.36%	-4.23%

Thailand


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	26.16	1099.68	9.01
2024	23.95	1067.09	9.23
Percent change 2010–2024	-8.47%	-2.96%	2.38%

Timor-Leste


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	8.98	370.23	1.42
2024	8.13	350.99	1.37
Percent change 2010–2024	–9.41%	–5.20%	–3.39%

Togo


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	17.73	659.26	3.54
2024	15.74	590.77	3.61
Percent change 2010–2024	-11.26%	-10.39%	1.93%

Tonga


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	8.16	387.04	2.85
2024	8.27	380.65	3.34
Percent change 2010–2024	1.33%	-1.65%	17.10%

Trinidad and Tobago


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	11.80	619.54	5.04
2024	15.16	740.61	7.12
Percent change 2010–2024	28.39%	19.54%	41.31%

Tunisia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	2.56	124.86	0.93
2024	2.18	112.37	1.06
Percent change 2010–2024	-14.82%	-10.00%	14.29%

Turkiye


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	2.10	118.58	2.02
2024	2.01	115.63	1.73
Percent change 2010–2024	-4.49%	-2.49%	-14.38%

Turkmenistan


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	24.68	1193.16	1.73
2024	25.66	1192.32	2.29
Percent change 2010–2024	3.99%	-0.07%	32.35%

Tuvalu


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	13.92	681.45	3.04
2024	16.70	782.78	3.96
Percent change 2010–2024	19.93%	14.87%	30.45%

Uganda


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	19.47	777.22	3.17
2024	22.26	900.57	4.51
Percent change 2010–2024	14.34%	15.87%	42.50%

Ukraine


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	59.88	2711.84	15.65
2024	38.14	1794.11	10.61
Percent change 2010–2024	-36.32%	-33.84%	-32.19%

United Arab Emirates


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	5.36	181.99	2.06
2024	3.01	120.18	1.83
Percent change 2010–2024	-43.79%	-33.96%	-11.30%

United Kingdom


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	16.56	858.64	19.58
2024	18.04	873.73	19.56
Percent change 2010–2024	8.96%	1.76%	-0.10%

United States of America


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	16.92	919.94	14.63
2024	20.30	1071.91	14.59
Percent change 2010–2024	20.03%	16.52%	–0.27%

Uruguay


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	17.95	787.36	11.87
2024	14.54	676.13	11.34
Percent change 2010–2024	-19.02%	-14.13%	-4.44%

Uzbekistan


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	20.72	882.57	3.79
2024	14.54	664.08	3.43
Percent change 2010–2024	-29.84%	-24.76%	-9.37%

Vanuatu


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	5.32	298.64	0.92
2024	5.90	328.80	1.80
Percent change 2010–2024	10.83%	10.10%	95.43%

Venezuela


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	19.62	1057.26	8.81
2024	15.43	779.35	4.92
Percent change 2010–2024	-21.38%	-26.29%	-44.08%

Viet Nam


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	17.88	762.91	4.27
2024	23.32	941.83	6.85
Percent change 2010–2024	30.43%	23.45%	60.41%

Yemen


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	1.90	79.89	0.04
2024	1.60	69.46	0.03
Percent change 2010–2024	-15.64%	-13.06%	-5.43%

Zambia


Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	27.93	1106.22	3.81
2024	24.98	992.73	3.98
Percent change 2010–2024	-10.56%	-10.26%	4.55%

Zimbabwe

Trends in alcohol-attributable rates relative to 2010



Year	Mortality rate	Morbidity rate	High alcohol use SEV
2010	60.56	2469.44	7.78
2024	36.71	1510.93	7.42
Percent change 2010–2024	-39.38%	-38.81%	-4.68%



IARD

International Alliance
for Responsible Drinking

1015 18th Street NW, Suite 708, Washington, DC 20036, USA

16 D'Arblay Street, Soho, London, W1F 8EA, UK

www.iard.org